

APM Series Weighing Scales



*As of: Tuesday, August 26,
2025*



Standard Features

- Weighing Scales fitted with a large LCD backlit display, 5 x 50mm digits.
- Membrane waterproof keypad.
- Flexible indicator mounting system. It can be attached to the scale or placed up to 50cm away, on a table or fixed to the wall.
- Weighing Scales plate in stainless steel, 280x330mm size.
- Level bubble and adjustable feet are available as standard.
- Easy Carrying Built-in Handgrip Design for an easy transport.
- Built-in rechargeable battery (about 300h battery life) and 230 Vac power adapter.
- Scales capacity and reading division are freely programmable, also in Double Range interval.

- Adjustable weighing filter.
- Operating Condition -10°C~40°C, with non-condensing R.H.<85%
- Scale weight: 6kg.
- Packaging: 480x310x190mm size - approximate weight of 7kg.

These bench weighing scales are fitted with a weight indicator that can be mounted attached to the platform or fixable to the wall, thanks to the stretchable cable. The big 50mm LCD display allows to easily read the weight in any condition. Easy Carrying Built-in Handgrip Design. Available also CE-M APPROVED for legal for trade use.

Specifications

Functions:

- Zeroing
- Semi-automatic tare
- Automatic tare
- Preset tare (PT)
- Weight totalization
- Animal weighing
- Counting
- Weight check HI-OK-LO
- Kg/lb conversion

Main Options:

- ACCREDIA calibration with issuing of relative certificate
- 3000e CE-M approval

User Manual

- User Manual available in IT, EN

Available versions

Code	Max (kg)	d (g)	M (g)*
APM30-1	15/30	5/10	5/10
APM150-1	60/150	20/50	20/50

(*) CE-M divisions are obtainable only with the relative options. HR divisions programmable from set-up (not available for approved versions).

Parts

Part # Description

{#Available Versions}

APM30-1 Bench/floor scale with 15/30kg capacity, 5/10g division, stainless steel plate 280x330mm size.

APM150-1 Bench/floor scale with 60/150kg capacity, 20/50g division, stainless steel plate 280x330mm size.

Options

Part #	Description
{#Approval for Sale to Third Parties}	
ECEM2P	CE-M single platform legal for trade multi range approval.
ECEMDOC	Printed EU declaration of conformity, EU certificate of verification, test certificate and metrological book (free download from our website, only for approved CE-M products). NET €.
{#Calibration Service (Only at Order)}	
CT4	ISO 17025 calibration certificate from 6 to 60 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.
{#Spare Parts}	
15APMAD	9V 660mA power supplier (EU).
14DFWBA	Lead battery, 6V 4.5Ah. ATTENTION: for the purchase of the entire INSTAPLUGBK extractable rechargeable battery please refer directly to the TPWLK, TPWP or TPWTS pallet truck data sheet.
15APMO	Keyboard overlay for APM.
15APMPP	Plastic load plate.
15APMPC	Stainless steel load plate cover.
15APMICU	Indicator case - upper part.
15APMUC	Indicator case - lower part.
15APMAF	Adjustable foot.
15APMIH	Indicator bracket.
15APMLCDP	Display protection panel.
15APMBL	Level bubble + holder.
15APMBC	Battery cover.
15APMLCD	LCD display.
15APMWBL	White backlight.
15APM30LC	Load cell - 50 kg (APM30-1)
15APM150LC	Load cell - 200 kg (APM150-1)

**Dini Argeo S.r.l. | Via della Fisica, 20 - 41042, Spezzano di Fiorano, Modena (MO), Italy | Tel.:
+39 0536 843418**

www.diniargeo.com
