

# ASG Series Price Computing Retail Scale



## Standard Features

- 3 backlit LCD displays on operator side and 3 LCD displays on customer side, with 6 digits 20mm high, for simultaneous indication of weight, price and amount.
- Membrane waterproof numeric and functional keypad with 25 keys and acoustic feedback.
- Stainless steel plate, 240x370mm size.
- Level and adjustable feet.
- Built-in rechargeable battery (about 70h battery life) and 230 Vac power adapter (EU plug).
- RS232/C port for connection to printer.
- Packaging: 410x375x180mm size - approximate weight of 5,1 kg.
- Upon request:
  - ACCREDIA calibration with issuing of relative certificate;
  - 2x3000e multi interval CE-M approval.

Dual interval price computing scales, for commercial use. Connectable to the printer, for amount totalization function. 105 PLU memory (5 from direct keys).

## Specification

---

### Functions:

Price computing:

- change of unit price: €/kg - €/100g
- entry of unit price
- amount totalisation (with optional printer)
- calculation of the change
- 105 PLU memories (5 from direct keys)

Zeroing

Zero tracking

Semi-automatic tare

Digital calibration

Auto switch-off

Backlight command

Low battery warning

## Available versions

---

| Code  | Max (kg) | d (g) | <b>M</b> 2R (g)* |
|-------|----------|-------|------------------|
| ASG15 | 6/15     | 2/5   | 2/5              |
| ASG30 | 15/30    | 5/10  | 5/10             |

(\*) CE-M divisions are obtainable only with the relative options.

## Parts

| Part # | Description |
|--------|-------------|
|--------|-------------|

### {#Available Versions}

|              |                                                                                                                                                                                                                                          |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ASG15</b> | Price-computing retail scale with 6/15 kg dual range capacity, 2/5 g division, stainless steel plate 240x370 mm size, 3 backlit LCD displays on operator side and 3 backlit LCD displays on customer side, membrane waterproof keypad.   |
| <b>ASG30</b> | Price-computing retail scale with 15/30 kg dual range capacity, 5/10 g division, stainless steel plate 240x370 mm size, 3 backlit LCD displays on operator side and 3 backlit LCD displays on customer side, membrane waterproof keypad. |

## Options

| Part # | Description |
|--------|-------------|
|--------|-------------|

### {#Calibration Service (Only at Order)}

|            |                                                                                                                                                                                                         |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CT4</b> | ISO 17025 calibration certificate from 6 to 60 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail. |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### {#Options Only Available at Time of Order}

|                |                                                                                                                                                                                                           |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ECEMI2</b>  | CE-M Single platform legal for trade multi interval approval.                                                                                                                                             |
| <b>ECEMDOC</b> | Printed EU declaration of conformity, EU certificate of verification, test certificate and metrological book (free download from our website, only for approved CE-M products). NET €.                    |
| <b>OBTPRSH</b> | ABS bench thermal printer for Scale House products (to be combined with specific cable for each scale). 58 mm paper width; 50 mm roll diameter; power supply through built-in 110-240 Vac power supplier. |
| <b>RSCBBC</b>  | 1,5 m cable for connecting AFW, ALGM, ASB, ASC, ASG, BCSD and HLD series scales to OBTPRSH printer.                                                                                                       |

### {#Spare Parts}

|                |                                                                                                                                                                                           |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>SHAL14</b>  | 12V 500mA power supplier (EU).                                                                                                                                                            |
| <b>14DFWBA</b> | Lead battery, 6V 4.5Ah. ATTENTION: for the purchase of the entire INSTAPLUGBK extractable rechargeable battery please refer directly to the TPWLK, TPWP or TPWTS pallet truck data sheet. |
| <b>15ASGO</b>  | Keyboard overlay for ASG / ASGP.                                                                                                                                                          |
| <b>846106</b>  | Stainless steel loading plate.                                                                                                                                                            |
| <b>15ASBF</b>  | Adjustable foot.                                                                                                                                                                          |

**Dini Argeo S.r.l. | Via della Fisica, 20 - 41042, Spezzano di Fiorano, Modena (MO), Italy | Tel.:  
+39 0536 843418**

---

**[www.diniargeo.com](http://www.diniargeo.com)**

---