

ASGP Series Price Computing Retail Scale



As of: Tuesday, August 26,
2025



Standard Features

- 3 backlit LCD displays on keypad on operator side and 3 LCD displays on column on customer side, with digits 20mm high, for simultaneous indication of weight, price and amount.
- Membrane waterproof numeric and functional keypad with 20 keys and acoustic feedback.
- Stainless steel plate, 240x370mm size.
- Level and adjustable feet.

- Built-in rechargeable battery (about 70h battery life) and 230 Vac power adapter (EU plug).
- RS232/C port for connection to printer.
- Packaging: 410x375x180mm size - approximate weight of 5,1kg.
- Upon request:
 - ACCREDIA calibration with issuing of relative certificate;
 - 2x3000e multi interval CE-M approval.

Dual interval price computing scales with column, for commercial use. Connectable to the printer, for amount totalization function. 105 PLU memory (5 from direct keys).

Specification

Functions:

- Price computing:
- change of unit price: €/kg - €/100g
 - entry of unit price
 - amount totalisation (with optional printer)
 - calculation of the change
 - 105 PLU memories (5 from direct keys)
- Zeroing
- Zero tracking
- Semi-automatic tare
- Digital calibration
- Auto switch-off
- Backlight command
- Low battery warning

Available versions

Code	Max (kg)	d (g)	 2R (g)*
ASGP15	6/15	2/5	2/5
ASGP30	15/30	5/10	5/10

(*) CE-M divisions are obtainable only with the relative options.

Parts

Part #	Description
--------	-------------

{#Available Versions}

ASGP15	Price-computing retail scale with 6/15 kg dual range capacity, 2/5 g division, stainless steel plate 240x370 mm size, 3 backlit LCD displays on operator side and 3 backlit LCD displays on customer side, membrane waterproof keypad and column.
ASGP30	Price-computing retail scale with 15/30 kg dual range capacity, 5/10 g division, stainless steel plate 240x370 mm size, 3 backlit LCD displays on operator side and 3 backlit LCD displays on customer side, membrane waterproof keypad and column.

Options

Part #	Description
--------	-------------

{#Calibration Service (Only at Order)}

CT4	ISO 17025 calibration certificate from 6 to 60 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.
------------	---

{#Options Only Available at Time of Order}

ECEMI2	CE-M Single platform legal for trade multi interval approval.
ECEMDOC	Printed EU declaration of conformity, EU certificate of verification, test certificate and metrological book (free download from our website, only for approved CE-M products). NET €.
OBTPRSH	ABS bench thermal printer for Scale House products (to be combined with specific cable for each scale). 58 mm paper width; 50 mm roll diameter; power supply through built-in 110-240 Vac power supplier.
RSCBBC	1,5 m cable for connecting AFW, ALGM, ASB, ASC, ASG, BCSD and HLD series scales to OBTPRSH printer.

{#Spare Parts}

SHAL14	12V 500mA power supplier (EU).
14DFWBA	Lead battery, 6V 4.5Ah. ATTENTION: for the purchase of the entire INSTAPLUGBK extractable rechargeable battery please refer directly to the TPWLK, TPWP or TPWTS pallet truck data sheet.
15ASGO	Keyboard overlay for ASG / ASGP.
846106	Stainless steel loading plate.
15ASBF	Adjustable foot.

**Dini Argeo S.r.l. | Via della Fisica, 20 - 41042, Spezzano di Fiorano, Modena (MO), Italy | Tel.:
+39 0536 843418**

www.diniargeo.com
