

ASGPP Series Price Computing Retail Scale



Standard Features

- 3 backlit LCD displays on column on operator side and 3 backlit LCD displays on column on customer side, with digits 20mm high, for simultaneous indication of weight, price and amount.
- Mechanical waterproof alphanumeric and functional keypad with 50 keys and acoustic feedback.
- Stainless steel plate, 240x370mm size.
- Level and adjustable feet.

- Built-in rechargeable battery (about 70h battery life) and 230 Vac power adapter (EU plug).
- Fitted with built-in thermal printer: 70mm/sec print speed, 8 dot/mm resolution, 384 dots per line, 58 mm paper width, 50 mm diameter roll.
- Packaging: 410x375x180mm size - approximate weight of 10kg.
- Upon request:
 - ACCREDIA calibration with issuing of relative certificate
 - 2x3000e multi interval CE-M approval

Dual interval price computing scales fitted with column and thermal printer, for commercial use. Amount totalization function. 127 PLU memory (28 from direct keys).

Specification

Functions:

Price computing:

- change of unit price: €/kg -
€/100g

- entry of unit price

- amount totalisation (with
optional printer)

- calculation of the change

- 127 PLU memories (28 from
direct keys) each with 12
character alphanumeric
description and unit price

Management of one operator

Zeroing

Zero tracking

Semi-automatic tare

Auto switch-off

Backlight command

Low battery warning

Available versions

Code	Max (kg)	d (g)	 2R (g)*
ASGPP15	6/15	2/5	2/5
ASGPP30	15/30	5/10	5/10

(*) CE-M divisions are obtainable only with the relative options.

Parts

Part #	Description
--------	-------------

{#Available Versions}	
-----------------------	--

ASGPP15	Price-computing retail scale with 6/15 kg dual range capacity, 2/5 g division, stainless steel plate 240x370 mm size, 3 backlit LCD displays on operator side and 3 on customer side, membrane waterproof keypad, thermal printer and column.
----------------	---

ASGPP30	Price-computing retail scale with 15/30 kg dual range capacity, 5/10 g division, stainless steel plate 240x370 mm size, 3 backlit LCD displays on operator side and 3 on customer side, membrane waterproof keypad, thermal printer and column.
----------------	---

Options

Part #	Description
--------	-------------

{#Calibration Service (Only at Order)}	
--	--

CT4	ISO 17025 calibration certificate from 6 to 60 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.
------------	---

{#Options Only Available at Time of Order}	
--	--

ECEMI2	CE-M Single platform legal for trade multi interval approval.
---------------	---

ECEMDOC	Printed EU declaration of conformity, EU certificate of verification, test certificate and metrological book (free download from our website, only for approved CE-M products). NET €.
----------------	--

RPT57C	50 thermal paper rolls 30m long, 57mm wide. 12mm hole. 51mm external diameter.
---------------	--

{#Spare Parts}	
----------------	--

SHAL14	12V 500mA power supplier (EU).
---------------	--------------------------------

14BA612	Lead battery, 6V 12Ah.
----------------	------------------------

15ASGPP0	Adhesive keyboard overlay for ASGPP.
-----------------	--------------------------------------

846106	Stainless steel loading plate.
---------------	--------------------------------

15PRT	Printer.
--------------	----------

15ASBF	Adjustable foot.
---------------	------------------

