

# ASW Series Multifunction/Counting Scale



As of: Tuesday, August 26,  
2025



## Standard Features

- Backlit LCD display with 6 digits 24 mm high.
- Membrane waterproof keypad with 7 digits and acoustic feedback.
- Stainless steel plate, 230x300mm size.
- Adjustable feet and level.
- Built-in rechargeable battery (about 70h battery life) and 230 Vac power adapter (EU plug).
- Packaging: 415x380x190mm size - approximate weight of 5kg.
- Upon request: ACCREDIA calibration with issuing of relative certificate.

Professional, multifunction, compact scale with the counting, % weight, weight and pieces quantity check and weight totalization functions.

## ASW Series Specification

---

### Functions:

- Counting
- % weight
- Weight, pieces or % quantity check, with 2 thresholds and acoustic alarm
- Weight totalization
- Unit of measure conversion: kg, g, lb, oz
- Zeroing
- Zero tracking
- Semi-automatic tare
- Digital calibration
- Auto switch-off
- Backlight command
- Low battery warning

## ASW Series Counting Features

---

Internal sensitivity and minimum recommended A.P.W.:

| Model                     | ASW3 | ASW30 |
|---------------------------|------|-------|
| Internal sensitivity g    | 0,01 | 0,1   |
| Min. recommended A.P.W. g | 0,05 | 0,5   |

## Available versions

---

| Code  | Max (kg) | d (g) |
|-------|----------|-------|
| ASW3  | 3        | 0,1   |
| ASW30 | 30       | 1     |

## Parts

---

| Part # | Description |
|--------|-------------|
|--------|-------------|

### {#Available Versions}

|       |                                                                                                                                                        |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| ASW3  | Counting compact scale with 3 kg capacity, 0,1 g division, stainless steel plate, 230x300 mm size, backlit LCD display and membrane waterproof keypad. |
| ASW30 | Counting compact scale with 30 kg capacity, 1 g division, stainless steel plate, 230x300 mm size, backlit LCD display and membrane waterproof keypad.  |

## Options

---

| Part # | Description |
|--------|-------------|
|--------|-------------|

### {#Calibration Service (Only at Order)}

|     |                                                                                                                                                                                                         |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CT3 | ISO 17025 calibration certificate up to 5 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.      |
| CT4 | ISO 17025 calibration certificate from 6 to 60 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail. |

### {#Spare Parts}

|         |                                                                                                                                                                                           |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SHAL14  | 12V 500mA power supplier (EU).                                                                                                                                                            |
| 14DFWBA | Lead battery, 6V 4.5Ah. ATTENTION: for the purchase of the entire INSTAPLUGBK extractable rechargeable battery please refer directly to the TPWLK, TPWP or TPWTS pallet truck data sheet. |
| 15ASBF  | Adjustable foot.                                                                                                                                                                          |
| 15ASWK  | ASW Keyboard overlay.                                                                                                                                                                     |
| 15ASBC  | Moulded protective covers in transparent plastic.                                                                                                                                         |

**Dini Argeo S.r.l. | Via della Fisica, 20 - 41042, Spezzano di Fiorano, Modena (MO), Italy | Tel.: +39 0536 843418**

[www.diniargeo.com](http://www.diniargeo.com)