

ATMI Series Stainless Steel Compact Scale



Standard Features

- Backlit LCD display with 5 digits 25 mm high.
- Membrane waterproof simplified keypad with 3 keys.
- Stainless steel plate, 190x230 mm size.
- IP67 stainless steel plate case.
- Level and adjustable feet.
- Built-in rechargeable battery (battery life up to 70h) and 230 Vac power adapter (EU plug).
- Packaging: 275x345x200mm size - approximate weight of 3,9kg.
- Upon request:
 - ACCREDIA calibration with issuing of relative certificate;
 - 2x3000e multi interval CE-M approval.

Completely stainless steel, compact scale, easy to clean. Ideal for environments with high hygiene requirements, kitchens and small work spaces. Available also CE-M APPROVED for legal for trade use.

ATMI Series Specifications

Functions:

- Counting
- Weight or pieces check, with 2 thresholds
- kg, g conversion
- Zeroing
- Zero tracking
- Semi-automatic tare
- Digital calibration
- 10 x high resolution visualization
- Auto switch-off
- Backlight command
- Low battery warning

Available versions

Code	Max (kg)	d (g)	M 2R (g)*	d HR (g)*
ATMI6	3/6	1/2	1/2	1
ATMI15	6/15	2/5	2/5	2

(*) CE-M divisions are obtainable only with the relative options. HR divisions programmable from set-up, not available for approved versions.

Parts

Part #	Description
--------	-------------

{#Available Versions}

ATMI6	All-purpose compact scale with 3/6 kg dual range capacity, 1/2 g division, stainless steel structure and plate, dimensions 190x230 mm, backlit LCD display and membrane waterproof keypad.
--------------	--

ATMI15	All-purpose compact scale with 6/15 kg dual range capacity, 2/5 g division, stainless steel structure and plate, dimensions 190x230 mm, backlit LCD display and membrane waterproof keypad.
---------------	---

Options

Part #	Description
--------	-------------

{#Approval for Sale to Third Parties}

ECEMDOC	Printed EU declaration of conformity, EU certificate of verification, test certificate and metrological book (free download from our website, only for approved CE-M products). NET €.
----------------	--

ECEMI2	CE-M Single platform legal for trade multi interval approval.
---------------	---

{#Calibration Service (Only at Order)}

CT4	ISO 17025 calibration certificate from 6 to 60 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.
------------	---

{#High Resolution (d HR) (only at time of order)}

EHR	High resolution model for internal factory use.
------------	---

{#Spare Parts}

SHAL14	12V 500mA power supplier (EU).
---------------	--------------------------------

15JWBA	6V 3Ah battery.
---------------	-----------------

15ATMIO	Keyboard overlay for ATMI.
----------------	----------------------------

15ATMIC	Battery door for ATMI.
----------------	------------------------

15ATMISG	Underplate with grommets for ATMI.
-----------------	------------------------------------

**Dini Argeo S.r.l. | Via della Fisica, 20 - 41042, Spezzano di Fiorano, Modena (MO), Italy | Tel.:
+39 0536 843418**

www.diniargeo.com