



A RICE LAKE WEIGHING SYSTEMS COMPANY

GP4_LX

GP4 LX SERIES PRICE COMPUTING BENCH SCALES



Bench price computing scales with stainless steel structure and double waterproof keyboard. Suitable for labelling pre-packaged products.

Scales and solutions for retail



FEATURES

- LCD alphanumeric double display (operator and customer side), white backlit.
- Double waterproof keyboard consisting of 36 multi-function membrane keys easily legible thanks to the special side pocket and 35 mechanical keys protected with adhesive screen printing. 8 operators.
- Thermal labeller with 8dots/mm resolution, ideal for labelling pre-packaged products.
Print width up to 56mm.
Max. roll width 63mm, external diameter 120mm (external diameter 203.2 mm in EVO version with external labeller).
- Easy roll replacement, by means of a removable door and an extractable trolley on guides to facilitate paper change.
- Stainless steel body, 420x390x180mm (WxWxH).
- 410x230mm (WxW) stainless steel plate.
- 230Vac power supply.
- Standard Ethernet port (optional USB connector).
- OIML R76 approved.

FUNCTIONS


- Selectable operating mode: by receipt, price weight for labelling, single item or self-service.
- 8 with direct keys 20 totals.
- Archive 7000 PLU, 72 direct recall.
- 50 PLU groups.
- 5 active tares for operators.
- 999 ingredient lists up to 420 digits.
- 99 product traceability.
- 4 VAT rates, with separation function.
- 10 advertising messages.
- Queue eliminator.
- 8 types of payment.
- 3 programmable password levels.
- Storage and reopening of daily receipts.
- Starters, discounts, special offers, hourly sales reports, customer management.
- Total operators, PLUs, product groups, VAT rates and short and long term payment types.
- PLU priority working mode.
- Logo printing, EAN13 and EAN8 barcodes, dynamic QR Codes, total, lot, glazing.
- Logos management and firmware maintenance with HLL (Helmec Label Loader) software, downloadable from the site.

PRINTING FEATURES

•

Print dimensions			
	Roll width (mm)	Printing width (mm)	Diameter (mm)
Continuous roll	63	56	120
Integrated printer	63	56	120
External printer	118	108	203

HLL labeling software



•

DETAIL 1



DETAIL 2



DETAIL 3



YOUR
WORLDWIDE
PARTNER

**FOR RETAIL
SOLUTIONS**



www.helmac.com



HEAD OFFICE

Via della Fisica, 18
41042 Spezzano di Fiorano (MO) • Italy
Tel.: +39 0536 070960

WAREHOUSE

Via della Fisica, 15
41042 Spezzano di Fiorano (MO) • Italy

SALES AND TECHNICAL ASSISTANCE SERVICE

All the specifications and images can be subject to variations and upgrades without prior notice.