

HSW Compact Weighing Scale



*As of: Tuesday, August 26,
2025*



Standard Features

- Large backlit 6-digit LCD display, 30 mm screen.
- 6-key waterproof membrane keyboard.
- Stainless steel weighing pan, dimensions 246x228 mm.
- Spirit level and adjustable feet.
- Internal rechargeable battery (operating life of approx. 300 hours) and 230 VAC power supply unit.
- RS232 communication port for PC connection.
- Operating temperature -10 °C...+40 °C, 85% non-condensing relative humidity.
- Scales weight: 3.3 kg.
- Packaging: dimensions 390x355x190mm - weight 4kg.

High Performing Electronic Bench Scale

The HSW compact bench weighing scale is a high-performing electronic scale with a multifunction weighing program. The large backlit display with 30 mm digits makes it easy to read the weight even in low light conditions. Its compact dimensions and built-in long battery life make it ideal for weighing in any location where main power is not available.

Functions

- Zeroing
- Semiautomatic tare
- Automatic tare
- Weight totalisation
- Animal weighing
- Counting

Available Versions

Code	Class	Max (g)	d (g)
HSW30	III	30	1

Parts

Part #	Description
{#Available Versions}	
HSW30	Compact multifunction table scale with battery

Options

Part #	Description
--------	-------------

{#Calibration service (ACCREDIA/DAKKS) only at time of order}

CT3	ISO 17025 calibration certificate up to 5 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.
------------	--

{#Connection cables}

RSCBUSBKR	USB PC/RS232 DB9 converter cable, l=1,5m. USB/DB9 connector.
------------------	--

{#Spare parts}

DFAL110INT	External power supply unit (110/230Vac IN, 12Vdc OUT), UL certified.
-------------------	--

14DFWBA	Lead battery, 6V 4.5Ah. ATTENTION: for the purchase of the entire INSTAPLUGBK extractable rechargeable battery please refer directly to the TPWLK, TPWP or TPWTS pallet truck data sheet.
----------------	---

15HSWKH	Adhesive keyboard overlay for HSW.
----------------	------------------------------------

**Dini Argeo S.r.l. | Via della Fisica, 20 - 41042, Spezzano di Fiorano, Modena (MO), Italy | Tel.:
+39 0536 843418**

www.diniargeo.com
