

KS Series Bench/Floor Scale



Standard Features

- LCD display with 6 digits 15mm high
- Mechanical waterproof simplified keypad with 4 keys
- Plate and structure in stainless steel; 330x320mm size plate
- Indicator in anodized aluminum with bracket for fixing to the wall and 3 m extendable cable
- Power supply: 6 extractable batteries of the 1,5V AA type (not included) or 230 VAC / 9VDC - 100mA mains power adapter included
- RS232/C port for connection to PC
- Packaging: 445x346x70mm size - approximate weight of 4,5kg
- Upon request: ACCREDIA calibration with issuing of relative certificate

Multi-purpose very sturdy small-sized bench or floor scales, ideal for weighing packages, vegetable crates, and all kinds of objects, also on mobile carts; extensible cable, for the best positioning of the indicator.

Specifications

Functions:

- hold (freezing the weight on the display)
- lb/kg conversion
- zeroing
- automatic tare
- zero tracking
- auto switch-off
- low battery warning

Available Versions

Code	Max (g)	d (g)
KS30	30	10
KS60	60	20
KS150	150	50

Parts

Part #	Description
--------	-------------

{#Available Versions}

KS30	Multi-purpose bench/floor scale with 30 kg capacity, 10 g division, stainless steel plate 330x320 mm size, LCD display and waterproof mechanical keypad.
-------------	--

KS60	Multi-purpose bench/floor scale with 60 kg capacity, 20 g division, stainless steel plate 330x320 mm size, LCD display and waterproof mechanical keypad.
-------------	--

KS150	Multi-purpose bench/floor scale with 150 kg capacity, 50 g division, stainless steel plate 330x320 mm size, LCD display and waterproof mechanical keypad.
--------------	---

Options

Part #	Description
--------	-------------

{#Calibration Service (Only at Order)}

CT4	ISO 17025 calibration certificate from 6 to 60 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.
------------	---

CT5	ISO 17025 calibration certificate from 61 to 300 kg for single scale/platform. For precision and industrial scales, crane scales. The certificate is provided in digital format (pdf) and sent by e-mail.
------------	---

{#Options only available at time of order}

RSCBPCBC	1,5 m RS232/C cable for connecting AFW, ASC, BCSD, GAM and KS series scales to PC.
-----------------	--

{#Spare parts}

SHALK9	9V 100mA power supplier (EU).
---------------	-------------------------------

**Dini Argeo S.r.l. | Via della Fisica, 20 - 41042, Spezzano di Fiorano, Modena (MO), Italy | Tel.:
+39 0536 843418**

www.diniargeo.com
