



Bread slicers for professionals

# Chute

- ✓ Designed for cutting soft white loaves
- ✓ Maximum output thanks to a continuous cycle
- ✓ Minimum space requirement
- ✓ Economic
- ✓ Front-loading for ergonomic efficiency






SPECIFICATIONS

|                                        |                |
|----------------------------------------|----------------|
| Max. loaf dimensions in cm (L x W x H) | 44 x 16        |
| Motor power in kW                      | 0.49           |
| Net weight (in kg)                     | 230            |
| Blade type and dimensions in mm        | 10 x 0.5 steel |

TECHNICAL SPECIFICATIONS

|                           |                                                      |
|---------------------------|------------------------------------------------------|
| Slice thickness in mm     | 9,10,11,12,13,14,15,16,17,18                         |
| Power supply              | 230V single phase,230V three-phase ,400V three-phase |
| Options (Additional cost) | Special blades                                       |

MAIN STRENGTHS



Foldable bag blower (option)

Saves packaging time.



Loading ramp

Fitted with side guides, increases loading capacity.



Adjustable bread holder

Adjusts the pressure on the bread to ensure a clean, precise quality of cut.



Lever on the side

Allows the final loaf to be cut completely safely.



BPA-free paint

100% BPA-free satin paint (Bisphenol A): safer for you, gentler on the planet. Its low-temperature curing process significantly reduces energy consumption. Available in three solid colours: white, black or grey.